
800.373.6175 www.jtechlighting.com Federal Signal LightBars

Page 15



Federal Signal Vista—Halogen Models



-Hundreds of models to choose from so your agency's light bar stands out from neighboring departments -Incredibly bright and reliable halogen rotators

-Rotators are offset to give more effective 360 degree warning power at critical traffic intersections

-Mix or Match rotator types, choosing speed (95, 120, 175 FPM) and full or quarter-filter options

-Built-in options include Signalmaster, speaker, takedowns, alleys, spotlights, flashers and more

-Available in all 5 standard safety color

combinations. Include lengths from 36, 44, 53, 62, and 71 inches

MODELS

-X132H225A—44" (2) 120 FPM Rots, (3)175 FPM rots, 1 pair Alleys, 1 pair Takedowns, 2 Front Flashers, 2 Rear Flashers, 2 Vista Rays (Halogen Intersection Sweeps)

-X132H206CB-003-44" (2) 95 FPM Rotators (2) 175 FPM Rots, (1) Center Traffic Clearing Light, 1 pair alleys, 1 pair Takedowns, 4 Front and Rear Directional Strobes, 2 Vista Rays (Halogen Intersection Sweeps

Federal Signal Streethawk

-The original two-level light bar with full 360 degree warning power

-Most effective, most affordable warning available in a conventional lightbar

-Unobstructed primary warning on top is separated from secondary auxiliary lights on lower deck -Extremely bright 72,000 candela halogen rotators are available in 95, 120 or 175 FPM

-Additional options include oscillators, flashers, alleys, takedowns, cascade mirrors, speaker, intersection sweeps

-Available in all 5 safety colors and in lengths of 35, 40, 48, 52 and 65 inches MODELS

-SHL4814-48" 5 Rotators, mirrors, 2 Front Halogen Flashers,

4 Rear Halogen Flashers, 1 Pair Alleys, 1 Pair takedowns.

-SHL4815—same as above bar with additional intersection sweeps





Federal Signal Jetstream/JetStrobe

-Features include 50 watt halogen rotators or double axis Fresnel strobe heads featuring Quad flash engineering to give longer effective retinal "dwell time"

-Versatile features include Halogen, Strobe, and combination models including auxiliary features like alleys, takedowns, flashers, brake/ tail/turn, steady burn, front cut off, speaker, and the Meteor traffic clearing light

-Available in all 5 safety colors and in lengths of 35, 40, 48, 52, and 65 inches Popular Models -JSL4814-48" 4 Rotators, Center traffic clearing light, 1 pair alleys, 1 pair takedowns, 2 front and rear flashers

-JSL4815—same as above bar substituting rotator for TCL in center section

-SJL4810—48" 6 Strobes, 1 pair takedowns, 1 pair alleys, 2 Front and Rear Flashers -SJL4815-48" 10 Strobes, 1 takedown, 1 pair alleys, 2 Front and Rear flashers

JSL4814 \$ 999.00 **JSL4815** \$975.00 SJL4810 \$1125.00 SJL4815 \$1233.00 Your choice of vehicle hooks included in price. **Please specify colors** when ordering.

Trained Personnel will help you with your order! 800.373.6175

J-Tech	Catal	odije

SHL4814 \$779.00 \$899.00 SHL4815 Your choice of vehicle hooks included in price.

Please specify colors

when ordering.



9U248000\$ 719.009U368000\$1245.00Your choice of vehicle hooks included in price.Other options are available call for price quote.Please specify colors when ordering.

Whelen LFL Edge LC

-A sleek, aerodynamic profile with the Classic edge look. -Strobe and Strobe/LED combination models, optional halogen takedowns, alleys and LED or Halogen Traffic Advisor

-Low Current operation uses smaller diameter external cable for operation with high or low current switching

-All Edge LFL bars have a wider stance for greater stability and weight distribution


-Extruded I-Beam chassis will not sag, warp, or bend

-New Strobe power supplies provide 25% more power to each strobe tube

MODELS A-48 inch 4 strobes

A-40 IIICII 4 Strobes

B-48 inch 6 strobes, 1 pair takedowns, 1 pair alleys C-48 inch 8 strobes, 1 Pair takedowns (center mount), 1 pair alleys, 2 Front and Rear Flashing LED's R/A only





Over 150 Used LightBars in Stock!



Whelen Ultra Edge

-Classic Edge profile, with extra two inch wider stance in a 4, 6 or 8 strobe models. High Current (HC) or Low Current (LC) models available

-Duplex modules front, rear or sides allow greater versatility with customization.

-Low Current Relay style reduces amp draw from switches and optimizes control features

Page 16

۲

-Options including strobes, halogen, and LED snap in modules reduce labor time. Duplex combination units allow

you to customize to your exact need with ease and power Powered by up to three power supplies, the output wattage is brighter and they mounted the power supplies in the ends instead of the center for easy upgrade or service.

-Standard complete internal wiring harness makes it easy to add options as your needs change

-Available in all 5 safety colors and in standard lengths of 48 and 52 inches

MODELS

-9U248000-48 inch 4 strobes (LC)

-9U368000—48 inch6 strobes (LC), 1 pair takedowns, 1 pair alleys, 2 front and rear halogen flashers

Whelen 9400 Series Edge

-The cornerstone of Strobe lightbars the Classic Edge 9000 series light bar is versatile and powerful -Upgrades like takedowns, halogen flashers, Traffic Advisor, Pierce Alert, Piercer II, & LED Messenger, make the Edge extremely customizable -Available with 4, 6 or 8 strobes and with or without a relay matrix. Also available in standard sizes of 48 and 52

inches MODELS


-9M148000—49 inch 4 strobes, 2 front and rear halogen flashers -9M268000—49 inch 6 strobes, 1 pair takedowns, 1 pair alleys -9M288000—49 inch 8 strobes, 1 pair takedowns, 1 pair alleys



9M148000 \$ 779.0	00		
9M268000 \$1.029.0)0		
9M288000 \$1,100.0)0		
Your choice of vehicle hooks included in price.			
Other options are available call for price quote.			
Please specify colors when ordering.			

Edge LFL Pa	atriot Bar	 -Sleek, aerodynamic profile, state-of-the-art optics -Strobe with LED and halogen options -LED modules feature new wide angle LED's for increased performance -Linear strobe tubes are soldered in for reliability and heavy-duty Service -Strobe Power Supplies provide ten externally selectable flash patterns using new ScanLock[™] (patent pending) momentary selection switching -Optional halogen take-downs, halogen alley lights, LED flashers (up to six front and six rear) -Optional LED Traffic Advisor[™] with two-wire control, which does not require a special control head for operation. -New optional "Personality" module provides enhanced control and added flexibility to the
LL148000 LL268000	\$799.00 \$1.080.00	operation of all lamps MODELS
LL200000	\$1,089.00	-LL148000 - 48 inch 4 strobes, 2 front, 2 rear
LL288000	\$1,175.00	-LL268000 - 48 inch 6 strobes, 4 front, 2 rear
	+ = ; = ; = ; = ; = ; = ;	
		-LL288000 - 48 inch 8 strobes, 4 front, 4 rear

۲



۲





J-Tech Catalogue

۲

purchase longer lengths separately

-SPC-16—16 ft shielded strobe cable

ft cable

-Available in Amber, Blue, Clear, Green & Red MODELS—Sold individually, NOT in pairs

-GS-2-Pedestal mount linear strobe, with 4

2/26/04, 11:17 AM

LIN36RUB


LIN36FBK

LIN36FCH

\$57.00

\$57.00


\$60.00



-AS-2S—Double strobe units with 15 ft cables

-Also available in Halogen models.

Nova MICROPAK Series



Great and economical way when you want to run just two remote strobe heads

Nova XPAK Series

MICROPAK 404MF

MICROPAK 504MF

-Available with 90/80/60 watts output power in a 4 outlet power supply

-Flash patterns include Mega Flash, Double Flash, Quad Flash and Quintuple Flash -Capable of switching 2 or 4 heads

\$107.00

\$117.00

-Rock solid 5 year warranty

- -Other features include EMI/RFI filtering, over-voltage/absent flashtube
- protection, reverse polarity protection and multi-voltage input standard 10-30 VDC MODELS

-XPAK 604-60 watt, 4 outlet

-XPAK 804-80 watt, 4 outlet

-XPAK 904-90 watt, 4 outlet



۲

XPAK 604	\$130.00
XPAK 804	\$145.00
XPAK 904	\$160.00

Nova SUPERPAK Series

-Available with 90/80/60 watts output power in a 6 outlet power supply

-Flash patterns include Mega Flash, Double Flash, Quad Flash and Quintuple Flash

-Capable of switching four or six heads

-Rock solid Five year warranty

-Other features include EMI/RFI filtering, over-voltage/absent flashtube

protection, reverse polarity protection and multi-voltage input standard 10-30 V DC.

Models

-SUPERPAK 606—60 watt, 6 outlet -SUPERPAK 804—80 watt, 6 outlet

-SUPERPAK 904—90 watt, 6 outlet



SUPERPAK 606	\$135.00
SUPERPAK 806	\$155.00
SUPERPAK 906	\$170.00

Offering installation of everything we sell in our 11,000 square foot shop. Custom jobs welcome!

Strobe Power Supplies

Nova Ultra-Pak Series

-12/10/8 outlet power supply with 185 watt output power

-Flash patterns include Mega Flash, Double Flash, Quad Flash and Quintuple Flash

-Heavy Duty twin inverters drive this power supply to 64 pattern

and control combinations. Capable of powering two flash patterns at once -Rock solid Five year warranty

-Other features include EMI/RFI filtering, over-voltage/absent flashtube protection, reverse polarity protection & multi-voltage input standard 10-30 V DC

Models

-ULTRA-PAK 1858—185 watt, 8 outlet -ULTRAPAK-18510—185 watt, 10 outlet

-ULTRAPAK-18512—185 watt, 12 outlet

ULTRAPAK 1858	\$308.00
ULTRAPAK 18510	\$315.00
ULTRAPAK 1858 ULTRAPAK 18510 ULTRAPAK 18512	\$323.00

Nova RPM Series

-90/80/60 watt 4 and 6 head random flash power supply

-11 randomly selected flash patterns—Single, Twin Single, Double, Twin

Double, Triple, Twin Triple, Quadruple, Quintuple, Mega, Twin Mega, Triple Mega Blast

-Head Mapping—The RPM fires all possible head pairing for maximum light movement

-Random Pattern Selection—Choose random level repast from after every 1 to 4 times, or set to Chaos mode for the fastest random power

-Rock solid 5 year warranty

-Other features include EMI/RFI filtering,

Over-voltage / absent flashtube protection, reverse polarity protection & Multi-voltage input standard 10-30 VDC MODELS

-RPM4-60/80/90—60, 80, or 90 watt, 4 outlet -Random power supply

-RPM6-60/80/90—60, 80, or 90 watt, 6 outlet -Random power supply



Whelen CSP Series

- -6 outlet power supply available in 60 or 90 watts
- -9 flash patterns available—Comet Flash, Triple Flash, Double
- Flash, Single Flash, Action Flash, Modu-Flash, Micro-Burst 2, Micro-Burst 3, and Long Burst
- -Available with $2 \ge 2 \ge 2$ switching, and operates 2, 4, or 6 outlets
- -Factory 2 year warranty
- -Other features include RFI filtering, reverse polarity protection, and multi-voltage input standard 12-25 VDC

Models

-SPS660A—6 outlet, 60 watt, 9 flash patterns

-SPS690—6 outlet, 90 watt, 9 flash patterns



RPM4-60	\$153.00
RPM4-80	\$169.00
RPM4-90	\$184.00
RPM6-60	\$158.00
RPM6-80	\$177.00
RPM6-90	\$193.00

Whelen UPS-64LX

-75 watt , 4 outlet, multiple flash patterns -Flash patterns include, Comet Flash, Double Flash, Action Flash, and Rapid Rate -Universal regulated power supply allows you to operate multiple style strobe heads with different lengths of cable and still have an equal power distribution between the big heads and the small heads -Capable of switching two or four heads -Rock solid 5 year warranty -Other features include EMI/RFI filtering, over-voltage/absent flashtube protection, reverse polarity protection and multi-voltage input standard 12-24 V DC MODEL

-UPS-64LX—4 outlet, 75 watt regulated power supply, 4 flash pattern Item shown is UPS-64LX

UPS-64LX \$263.00

\$447.00

۲

Whelen UPS-158

-150 watt, 8 outlet, multiple flash patterns
-Flash patterns include, Comet Flash, Double Flash, Action Flash, & Rapid Rate
-Universal regulated power supply allows you to operate multiple style strobe heads with different lengths of cable and still have an equal power distribution between the big heads and the small heads
-Capable of switching 2 x 2 plus 2 x 2 stereo switching
-Rock solid 2 year warranty
-Other features include EMI/RFI filtering, overvoltage/absent flashtube protection, reverse polarity protection & multi-voltage input standard 12-24 VDC

MODEL

-UPS-158—8 outlet, 150 watt regulated power supply, 4 flash patterns

UPS-158

	Switch1	\$ 4.00
Nova Standard Switches	Switch1WH	\$ 6.00
	Switch2	\$10.00
This standard line-up of switches specifically for Nova Strobe power supplies and strobe beacons All switches come with or without a pre-wired 15 ft harness	Switch2WH	\$24.00
IODELS	Switch3	\$13.00
Switch1—Single, lighted, on/off switch with bracket—General Purpose	Switch3WH	\$25.00
witch1WH—same as above with wire harness	Switch6	\$15.00
Switch2—Double, lighted, on/off and hi/low power switches with bracket—For XPAK,		
Aicro-Pak, and HPS Series Switch2WH—same as above with wire harness	Switch6WH	\$30.00
Switch3—Triple, lighted, 2 head control on/off switches, hi/lo switch-For XPAK,		
Aicro-Pak, and HPS Series		
Switch3WH—Same as above with wire harness	COM alter Linder	
witch6—Triple, lighted, 2 head control on/off switches, hi/lo switch—For	Lote I.	
uperpak series		
witch6WH—Same as above with wire harness		

-Standard and Rotary style switching that enable the operator to choose strobes and to select Random level, Chaos Mode, Head Mapping and selective switching features. All switches are pre-wired for easy installation MODELS

-Switch RPM4S—2x2 on/off control switches and hi/lo switch for 4 outlet RPM packs

-Switch RPM4R—2x2 on/off control, hi/lo and Chaos mode switches with rotary switch for Random Level, for 4 outlet RPM packs

-Switch RPM6S—Same as 4S, with 4x2 switching, for the RPM 6 pack -Switch RPM6S—Same as 6R, with 4 x 2 switching, for RPM 6 pack

Nova Rotary Switches

-The full function Rotary switch panel for every power supply in the Nova line. These Rotary switches are pre-wired, easy to install and provide a simple means of controlling all the features of your Nova power supply MODELS

-SwitchRota4—On/off, hi/lo switch and flash pattern dial for the X-PAK and Micro-PAK Series

-SwitchRota5—2x2x2 control on/off switch and pattern dial with hi/lo position -for Superpak Series

-SwitchRota6—2x4 control on/off switch and pattern dial with hi/lo position for Superpak Series

-SwitchRota8—On/off, hi/lo switch and flash

pattern dial for Doublex-PAK -SwitchRota9—4x4 control switches and pattern dial for Ultra-PAK 1858 -SwitchRota10—4x4x2 control switches and pattern dial for Ultra-PAK 18510 -SwitchRota12—4x4x4 control switches and pattern dial for Ultra-PAK 18512



tchROTA4 \$48.00

Switch RPM4S

Switch RPM4R

Switch RPM6S

Switch RPM6R

\$29.00

\$57.00

\$29.00

\$57.00

۲

SwitchROTA4\$48.00SwitchROTA5\$56.00SwitchROTA6\$49.00SwitchROTA8\$49.00SwitchROTA9\$54.00SwitchROTA10\$54.00SwitchROTA12\$54.00For use with Nova Strobepower supplies ONLY.





Quality Installation at our facility means quick turnaround time for you.

2/26/04, 11:18 AM

Strobe Systems and Kits

Page 21

۲

Nova X-PAK Kits

-90/80/60 Watt, 4 outlet, multi-flash strobe kits. Each kit includes 1 power supply, four 15 ft. shielded strobe cables, and 4 Hide-a-flash strobe lamps.

-The X-PAK power supply features flash patterns Mega Flash (Rapid Single), Double Flash, Quad Flash and Quintuple Flash It also features a solid 5 year factory warranty -Tubes are available in A, B, C, G, R and V and have a 1 year warranty

-2 x 2 switching, switch 2 or 4 heads

-Other features EMI/RFI filtering, Reverse polarity protection, over-voltage/absent flashtube protection, multi-voltage input standard 10-30 V DC MODELS

SVS VA CO 44 41 1 4

-SYS-X4—60 watt,4 head system, 4 clear tubes, 4 cables -SYS-X804—80 watt, 4 outlet system, 4 clear tubes, 4 cables

SVS X004 00 with 4 other system, 4 clear tubes, 4 cable

-SYS-X904—90 watt, 4 outlet system, 4 clear tubes, 4 cables Colored tubes can be substituted for clear for additional cost

Nova Superpak Kits

-90/80/60 Watt, 4 outlet, Multi-flash Strobe kits. Each kit includes 1 power supply,

4 15 ft. shielded strobe cables, and 4 Hide-a-flash strobe lamps.

-The X-Pak power supply features flash patterns Mega Flash (Rapid Single), Double Flash, Quad Flash and Quintuple Flash. It also features a

solid 5 year factory warranty

-Tubes are available in A, B, C, G, R and V and have a 1 year warranty -4 x 2 switching, switch four or six heads

-Other features include EMI/RFI filtering, reverse polarity protection, over-voltage/ absent flashtube protection, multi-voltage input standard 10-30 V DC MODELS

-SYS-S4—60 watt, 6 outlet system, 4 clear tubes, 4 cables

-SYS-S804—80 watt, 6 outlet system, 4 clear tubes, 4 cables

-SYS-S904—90 watt, 6 outlet system, 4 clear tubes, 4 cables

RPM Series Kits

-90/80/60 Watt, 4 or 6 outlet, Multi-flash Strobe kits. Random flashes and Head Mapping from 11 flash patterns. Each kit includes 1 Power Supply, four 15 ft shielded strobe cables, and 4 Hide-a-flash strobe lamps.

-The RPM power supply features flash patterns Single, Twin Single, Double, Twin Double, Triple, Twin Triple, Quadruple, Quintuple, Mega, Twin Mega, Triple Mega Blast It also features a solid 5 year factory warranty

-Tubes are available in Amber, Blue, Clear, Green, Red, and Violet and have a 1 year warranty

-2 x 2 switching, switch 2 or 4 heads

-Other features EMI/RFI filtering, reverse polarity protection, over-voltage/absent flashtube protection, multi-voltage input standard 10-30 VDC Models

-SYSR604—4 outlet, 60 watt kit, 4 clear heads, 4 cables

-SYSR804-4 outlet, 80 watt kit, 4 clear heads, 4 cables

- -SYSR904-4 outlet, 90 watt kit, 4 clear heads, 4 cables
- -SYSR606-6 outlet, 60 watt kit, 4 clear heads, 4 cables
- -SYSR806-6 outlet, 80 watt kit, 4 clear heads, 4 cables

-SYSR906—6 outlet, 90 watt kit, 4 clear heads, 4 cables

Colored tubes can be substituted for clear for additional cost


Whelen SPS Kits (NOT Shown)

-60/90 watt 6 outlet strobe power supply with 4 clear HA239 strobe heads and four 15 ft shielded strobe cables

-Flash patterns include Comet Flash, Triple Flash, Double Flash, Single Flash, Action Flash, Modu-Flash, Micro Burst 2 and Micro Burst 3 -Factory 2 year warranty on power supply, 1 year on tubes

-Other features include RFI filtering, reverse polarity protecting, and multi-voltage input standard 12-25V DC MODELS

-S660CCCCC—60 watt, 6 outlet kit with 4 clear heads, and 4 cables -S690CCCCC—90 watt, 6 outlet kit with 4 clear heads and 4 cables Colored tubes can be substituted for clear for additional cost.





SYS-S4	\$239.00	
SYS-S804	\$259.00	
SYS-S904	\$279.00	
Substitute colored for clear tube	\$9.00 ea	
Please specify colors when ordering		

SYSR604	\$262.00
SYSR804	\$279.00
SYSR904	\$295.00
SYSR606	\$262.00
SYSR806	\$279.00
SYSR906	\$295.00
Substitute clear tube	
for Colored.	\$ 9.00 ea
Please specify colors	
S660CCCC	\$219.00
S690CCCC	\$239.00
Substitute colored tube	
for clear	\$9.00 ea



2/26/04, 11:18 AM

)



GH-1 \$35.00 Please specify color

-GH-1-Pedestal mount halogen light

separately on page 69 and 70 COLORS A/B/C/G/R MODELS -Sold individually,

NOT in pairs

with 4 ft cable

Nova Microthin-Halogen

- -Thin, rectangular, relampable directional halogen head with bail bracket for versatile mounting and easy maintenance
- -Only 1.5 inches high, perfect for grill or deck mounting
- -Composite-based single screw lamp design
- -Uses standard 55 watt halogen bulb with industry standard AMP connector
- -Kit comes with Universal Flasher is solid state and offers 7 flash patterns -Available in Amber, Blue, Clear, Green, & Red

MODELS

-SYSUFMICROTHIN-55 watt

Grill / Deck light kit w/ Universal

Flasher and Wire Enclosed

Also available in Strobe model

\$85.00 SYUFMICROTHIN Please specify colors.

Whelen GRL-HAL


-Smallest remote halogen head with changeable lenses on the market

Made from a polycarbonate plastic the GRL stands up under harsh conditions

-Flasher sold separately, see page 69 and 70 for pricing -Available in A, B, C, G, R, V and

Split Combinations

MODELS -Sold Individually -GRLHAL*—Halogen Grill Light -GRLHAL#-Halogen Grill Light with split lens. Also available in halogen model.



-Flexible mounting options include fender, grille, dash and

Page 22

۲

- -A flush mount bezel (show in picture) is also available · Available in Amber, Blue, Clear, Green and Red
- · OL135—Single 35watt unit with flush mount bezel

· OLRDPR—Pair rear deck , bumper mount w/ mounting

OL135	\$109.00
OLRD	\$109.00
OLRDPR	\$195.00
OLDM	\$119.00
Please specify color	when ordering.

Able 2 PAR36 Pedestal

·Halogen Par 36 halogen flasher kit is one of the brightest and economical grille light kits on the market ·Kit includes 2 (1 pair) of Halogen light heads mounted in a weather-resistant round rubber housing with pedestal mount that allows you to adjust your light vertically and horizontally -Includes Wagner flasher built right into the housing -Available in A, B, C, G and R MODEL

-17.0840—Halogen PAR36 spot bulb grille light kits

-17.0841-Halogen PAR36 flood bulb grille light kits

17.0840	\$47.00	
17.0841	\$47.00	
Please specify colors.		



Federal Signal PA300

-Field tested and proven worldwide for years, more agencies use the PA300 than any other full featured siren -All models include standard wail, yelp, air horn tones and peak and hold.

- Select models have hi/lo or priority tone
- -100/200 watt output meets the national Class A standard when used with a Federal Signal speaker -User selectable switching for horn ring, manual air horn / siren, and radio re-broadcast
- -Front panel PA volume control and built-in noise canceling microphone
- -Other features included are illuminated display, mounting bracket and fused wire harness MODELS
- -690000 100 watt full feature, wail, yelp, hi/lo, PA
- -690002 100 watt full feature wail, yelp, priority, PA -690010 - 200 watt full feature wail, yelp, hi/lo tone

690000	\$255.00
690002	\$255.00
690010	\$259.00



Page 23

۲



A DIVISION OF J-TECH INCORPORATED

3 Ways to Serve You Visit our Showroom Call Our Order Desk at 800.373.6175 Visit www.jtechlighting.com

Federal Signal Smart Siren

- -Combination electronic siren and emergency light control
- -Amplifier / relay unit separate from super slim control head
- -Unique microprocessor technology allows user to configure unit in the field by use of rubberized keypad
- -Standard functions include wail, yelp, hi/lo or priority, manual, horn ring, radio rebroadcast, TAP II and PA. Power versatility, the SS2000 has 58, 100, or 200 watt siren output capability
- -Replaceable legends on control head keypad identify functions -Controls emergency lights and other auxiliary functions with 8 relay outputs—PA microphone and extension cable sold separately
- -Choose the model with the built in Signal Master controls and have the ability to control it with 7 signaling patterns
- Models
- -SS2000SS-SB—Siren and light control unit
- -SS2000SM-SC—Siren and light control unit with Signal Master controls
- -MNCT-SB-Noise canceling PA microphone
- -RMK—15 ft remote PA cable

-100 watt siren and light control in one compact unit -4 position slide switch with progressive LED indicators allows simple selection of common siren and light functions

-4 or 6 auxiliary switches can be configured as push-on, push-off or momentary push buttons

-Standard siren tones include wail, yelp, priority and air-horn, hard wired noise canceling PA, and radio rebroadcast

-Other standard features include Instant on, adjustable backlighting,

automatic short circuit protection, siren lock, park kill for lights and siren, and hit-n-go horn ring scroll modes

- -Comes with bail bracket mount standard
- Models
- -3942—Full feature 100 watt siren, PA,, Air horn & Siren lock

-3892L4—Same as 3942 with 3 level slide switch and 4 auxiliary switches -3892L6—Same as 3942 with 3 level slide switch and 6 auxiliary switches



SS2000SS-SB	\$835.00
SS2000SM-SC	\$965.00
MNCT-SB	\$ 39.00
RMK	\$ 55.00

